# Certificate



No.: 968/FSP 3021.00/25

Product tested Floating Ball Valves Certificate TIV Valves srl

holder Via Fratelli Rosselli 17

20027 Rescaldina (MI)

Italy

Type designation DN 1/2" – 8"

Side entry bolted body and fully welded, Top-Entry, Modular DBB, End

Entry, Threaded body

Codes and standards IEC 61508 parts 1-2:2010 EN 17955:2024 (non accred.)

Intended application Safety Functions:

- Close on demand and external tightness

- Close on demand with leakage class VI acc. IEC 60534-4 and external

tightness

- Open on demand and external tightness

The valves are suitable for use in a safety instrumented system up to SIL 2

(low demand mode). Under consideration of the minimum required

hardware fault tolerance HFT = 1 for the complete final element the valves

may be used up to SIL 3.

**Specific requirements** The instructions of the associated Installation, Operating and Safety

Manual shall be considered.

Summary of test results see back side of this certificate.

Valid until 2030-12-11

Köln, 2025-12-11

The issue of this certificate is based upon an evaluation in accordance with the Certification Program CERT FSP1 V3.0:2020 in its actual version, whose results are documented in Report No. 968/FSP 3021.00/25 dated 2025-12-04. This certificate is valid only for products, which are identical with the product tested. Issued by the certification body accredited by DAkkS according to DIN EN ISO/IEC 17065. The accreditation is only valid for the scope listed in the annex to the accreditation certificate D-ZE-11052-02-00.

TÜV Rheinland Industrie Service GmbH

Bereich Automation Funktionale Sicherheit Am Grauen Stein, 51105 Köln

Certification Body Safety & Security for Automation & Grid

Dipl.-Ing. (FH) Wolf Rückwart







TÜV Rheinland Industrie Service GmbH, Am Grauen Stein, 51105 Köln / Germany Tel: +49 221 806-1790, Fax: +49 221 806-1539, E-Mail: industrie-service@de.tuv.com



Holder: TIV Valves S.r.l.

Via Fratelli Rosselli 17 20027 Rescaldina (MI)

Italy

Product tested: Floating Ball Valves size: ½" ... 8"

Side entry bolted body and fully welded, Top-Entry,

Modular DBB, End Entry, Threaded body

#### **Results of Assessment**

Route of Assessment	2 <sub>H</sub> / 1 <sub>S</sub>
Type of Sub-system	Type A
Mode of Operation	Low Demand Mode
Utilization Rate	Low and High Utilization Rate
Hardware Fault Tolerance	HFT = 0
Systematic Capability	SC 3

Close on demand and external tightness

Dangerous Failure Rate	$\lambda_{D}$	2.20 E-08 / h	22 FIT
Average Probability of Failure on Demand 1oo1	$PFD_{avg}(T_1)$	9.79 E-05	
Average Probability of Failure on Demand 1oo2	$PFD_{avg}(T_1)$	9.80 E-06	

Close on demand with leakage class VI acc. IEC 60534-4 and external tightness

Dangerous Failure Rate	$\lambda_{D}$	3.50 E-08 / h	35 FIT
Average Probability of Failure on Demand 1oo1	$PFD_{avg}(T_1)$	1.56 E-04	
Average Probability of Failure on Demand 1oo2	$PFD_{avg}(T_1)$	1.56 E-0	5

Open on demand and external tightness

Dangerous Failure Rate	$\lambda_{D}$	1.90 E-08 / h	19 FIT				
Average Probability of Failure on Demand 1oo1	PFD <sub>avg</sub> (T <sub>1</sub> )	8.46 E-05					
Average Probability of Failure on Demand 1002	PFD <sub>avg</sub> (T <sub>1</sub> )	8.47 E-06					

Assumptions for the calculations above: DC = 0 %,  $T_1$  = 1 year, MRT = 72 h,  $\beta_{1002}$  = 10 %

#### Failure Rates for DBB-version

For the double block and bleed version DBB the following failure rates are valid:

Close on demand and external tightness: 3 FIT

Close on demand with leakage class VI acc. IEC 60534-4 and external tightness: 4 FIT

Open on demand and external tightness: 38 FIT

## Origin of failure rates

The stated failure rates are the result of an FMEDA acc. EN 17955:2024 Annex C.

The stated failure rates do not release the end-user from collecting and evaluating application-specific reliability data.

### **Periodic Tests and Maintenance**

The given values require periodic tests and maintenance as described in the Safety Manual.

The operator is responsible for the consideration of specific external conditions (e.g. ensuring of required quality of media, max. temperature, time of impact), and adequate test cycles.